

WARDROBES & LOCKERS



WARDROBES & LOCKERS

WARDROBE CUPBOARDS

CLEAN INDUSTRY

FEATURES

Durable Welded Metal Construction
Electrostatic Powder Coating
Wall Mounting Holes on Rear Top
Top Shelf with Coat Rail and Hook in Each Section
Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
Stamped Label Holder on Doors
Louvered Doors for Air Circulation
2.000 Differs Round Head Camlock with 2 Keys
Masterkey Support
Packaging: Nylon Bag + Corrugated Carton

OPTIONAL


Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
Bottom Shelf
Perforated Door Types
Swing Door Model
Envelope Hole on Doors
Coin Lock & Wheel Combination Lock
2.000 Differs 3 Point Round Head Camlock with 2 Keys
Latchlock
Flush Latchlock
3 Point Latchlock
20 cm Sloping Roof [Screw Fixing]
50 cm Top Cupboard [Screw Fixing]
10 cm Base [Screw Fixing]
10 cm Feet [Welded or Screw Fixing on Request]
10 cm Framed Feet [Screw Fixing]
40 cm Bench Models [Screw Fixing]
40 cm Base Cupboards for Swing Door Models [Screw Fixing]



V1

V2

STANDARD				
view				
code	WRC/1.1830	WRC/2.1860	WRC/3.1890	WRC/4.18117
no of door	1	2	3	4
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50



DOOR
OPENING
DEGREE

VERSION 1				
view				
code	WRC/1.1830.V1	WRC/2.1860.V1	WRC/3.1890.V1	WRC/4.18117.V1
no of door	1	2	3	4
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

SWING DOORS V2 & V3				
view				
code	WRC/2.1860.V2	WRC/4.18117.V2	WRC/2.1860.V3	WRC/4.18117.V3
no of door	2	4	2	4
door type	swing	swing	swing	swing
ventilation	louvered	louvered	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	60	117	60	117
depth (cm)	50	50	50	50

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

CLEAN INDUSTRY



VERSION 4				
view				
code	WRC/1.1830.V4	WRC/2.1860.V4	WRC/3.1890.V4	WRC/4.18117.V4
no of door	1	2	3	4
door type	right hung	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated	round perforated
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 5		
view		
code	WRC/2.1860.V5	WRC/4.18117.V5
no of door	2	4
door type	swing	swing
ventilation	round perforated	round perforated
height (cm)	180	180
width (cm)	60	117
depth (cm)	50	50



VERSION 6				
view				
code	WRC/1.1830.V6	WRC/2.1860.V6	WRC/3.1890.V6	WRC/4.18117.V6
no of door	1	2	3	4
door type	right hung	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 7		
view		
code	WRC/2.1860.V7	WRC/4.18117.V7
no of door	2	4
door type	swing	swing
ventilation	wire mesh	wire mesh
height (cm)	180	180
width (cm)	60	117
depth (cm)	50	50

dimensions in cm (approximate)

Standard Colors For This Range



WARDROBES & LOCKERS

WARDROBE CUPBOARDS

ACCESSORIES FOR C/I



BASE CUPBOARDS for C/I - Swing Door Models *			
view			
code	WBC/1SL 4060	WBC/1DW 4060	
model	1 sliding lid	1 drawer	
ventilation	louvered	louvered	
height (cm)	40	40	
width (cm)	60	60	
depth (cm)	80	80	

* Should be ordered together with the main cupboards



TOP CUPBOARDS for C/I				
view				
code	WTC/1.5030	WTC/2.5060	WTC/3.5090	WTC/4.50117
no of door	1	2	3	4
door type	standard	standard	standard	standard
ventilation	louvered	louvered	louvered	louvered
height (cm)	50	50	50	50
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

SLOPING ROOFS				BASE				FRAMED FEET			
code	height	width	depth	code	height	width	depth	code	height	width	depth
WRR.30	20	30	50	WBS.30	10	30	50	WRF.30	10	30	50
WRR.60	20	60	50	WBS.60	10	60	50	WRF.60	10	60	50
WRR.90	20	90	50	WBS.90	10	90	50	WRF.90	10	90	50
WRR.117	20	117	50	WBS.117	10	117	50	WRF.117	10	117	50

BENCH - STANDARD				BENCH WITH SHOE GRILL				BENCH WITH PULL OUT SEAT			
code	height	width	depth	code	height	width	depth	code	height	width	depth
WRB.30	40	30	80	WRB/SG.30	40	30	80	WRB/PO.30	40	30	80
WRB.60	40	60	80	WRB/SG.60	40	60	80	WRB/PO.60	40	60	80
WRB.90	40	90	80	WRB/SG.90	40	90	80	WRB/PO.90	40	90	80
WRB.117	40	117	80	WRB/SG.117	40	117	80	WRB/PO.117	40	117	80

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

DIRTY INDUSTRY

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Top Shelf with Coat Rail and Hook in Each Section
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Bottom Shelf
- Perforated Door Types
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- 2.000 Differs 3 Point Round Head Camlock with 2 Keys
- Latchlock
- Flush Latchlock
- 3 Point Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 50 cm Top Cupboard [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



STANDARD			
view			
code	WRD/1.1840	WRD/2.1880	WRD/3.1812
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 1			
view			
code	WRD/1.1840.V1	WRD/2.1880.V1	WRD/3.1812.V1
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 4			
view			
code	WRD/1.1840.V4	WRD/2.1880.V4	WRD/3.1812.V4
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 6			
view			
code	WRD/1.1840.V6	WRD/2.1880.V6	WRD/3.1812.V6
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

dimensions in cm (approximate)

Standard Colors For This Range



WARDROBES & LOCKERS

WARDROBE CUPBOARDS

ACCESSORIES FOR D/I



TOP CUPBOARDS

view			
code	WTC/1.5040	WTC/2.5080	WTC/3.5012
no of door	1	2	3
door type	standard	standard	standard
ventilation	louvered	louvered	louvered
height (cm)	50	50	50
width (cm)	40	80	120
depth (cm)	50	50	50

SLOPING ROOFS



code	height	width	depth
WRR.40	20	40	50
WRR.80	20	80	50
WRR.120	20	120	50

BASE



code	height	width	depth
WBS.40	10	40	50
WBS.80	10	80	50
WBS.120	10	120	50

FRAMED FEET



code	height	width	depth
WRF.40	10	40	50
WRF.80	10	80	50
WRF.120	10	120	50

BENCH - STANDARD



code	height	width	depth
WRB.40	40	40	80
WRB.80	40	80	80
WRB.120	40	120	80

BENCH WITH SHOE GRILL



code	height	width	depth
WRB/SG.40	40	40	80
WRB/SG.80	40	80	80
WRB/SG.120	40	120	80

BENCH WITH PULL OUT SEAT



code	height	width	depth
WRB/PO.40	40	40	80
WRB/PO.80	40	80	80
WRB/PO.120	40	120	80

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

1/2 DOORS - 180*30 SERIES

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Coat Rail with Hook in Each Section
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Perforated Door Types
- Swing Door Model
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet
- [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



STANDARD				
view				
code	WRC.2(1.2).18030	WRC.4(2.2).18060	WRC.6(3.2).18090	WRC.8(4.2).180117
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 1				
view				
code	WRC.2(1.2).18030.V1	WRC.4(2.2).18060.V1	WRC.6(3.2).18090.V1	WRC.8(4.2).180117.V1
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 2 & VERSION 3				
view				
code	WRC.4(2.2).18060.V2	WRC.8(4.2).180117.V2	WRC.4(2.2).18060.V3	WRC.8(4.2).180117.V3
no of door	4	8	4	8
door type	swing	swing	swing	swing
ventilation	louvered	louvered	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	60	117	60	117
depth (cm)	50	50	50	50



VERSION 4				
view				
code	WRC.2(1.2).18030.V4	WRC.4(2.2).18060.V4	WRC.6(3.2).18090.V4	WRC.8(4.2).180117.V4
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated	round perforated
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 5		
view		
code	WRC.4(2.2).18060.V5	WRC.8(4.2).180117.V5
no of door	4	8
door type	swing	swing
ventilation	round perforated	round perforated
height (cm)	180	180
width (cm)	60	117
depth (cm)	50	50

VERSION 6				
view				
code	WRC.2(1.2).18030.V6	WRC.4(2.2).18060.V6	WRC.6(3.2).18090.V6	WRC.8(4.2).180117.V6
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 7		
view		
code	WRC.4(2.2).18060.V7	WRC.8(4.2).180117.V7
no of door	4	8
door type	swing	swing
ventilation	wire mesh	wire mesh
height (cm)	180	180
width (cm)	60	117
depth (cm)	50	50

dimensions in cm (approximate)

Standard Colors For This Range



WARDROBES & LOCKERS

WARDROBE CUPBOARDS

1/2 DOORS - 180*40 SERIES

STANDARD			
view			
code	WRC.2(1.2).18040	WRC.4(2.2).18080	WRC.6(3.2).180120
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 1			
view			
code	WRC.2(1.2).18040.V1	WRC.4(2.2).18080.V1	WRC.6(3.2).180120.V1
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 2 & VERSION 3		
view		
code	WRC.4(2.2).18080.V2	WRC.4(2.2).18080.V3
no of door	4	4
door type	swing	swing
ventilation	louvered	square perforated
height (cm)	180	180
width (cm)	80	80
depth (cm)	50	50

VERSION 4			
view			
code	WRC.2(1.2).18040.V4	WRC.4(2.2).18080.V4	WRC.6(3.2).180120.V4
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 5	
view	
code	WRC.4(2.2).18080.V5
no of door	4
door type	swing
ventilation	round perforated
height (cm)	180
width (cm)	80
depth (cm)	50

VERSION 6			
view			
code	WRC.2(1.2).18040.V6	WRC.4(2.2).18080.V6	WRC.6(3.2).180120.V6
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 7	
view	
code	WRC.4(2.2).18080.V7
no of door	4
door type	swing
ventilation	wire mesh
height (cm)	180
width (cm)	80
depth (cm)	50

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

1/2 DOORS - 195*30 SERIES

STANDARD				
view				
code	WRC.2(1.2).19530	WRC.4(2.2).19560	WRC.6(3.2).19590	WRC.8(4.2).195117
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 1				
view				
code	WRC.2(1.2).19530.V1	WRC.4(2.2).19560.V1	WRC.6(3.2).19590.V1	WRC.8(4.2).195117.V1
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 2 & VERSION 3				
view				
code	WRC.4(2.2).19560.V2	WRC.8(4.2).195117.V2	WRC.4(2.2).19560.V3	WRC.8(4.2).195117.V3
no of door	4	8	4	8
door type	swing	swing	swing	swing
ventilation	louvered	louvered	square perforated	square perforated
height (cm)	195	195	195	195
width (cm)	60	117	60	117
depth (cm)	50	50	50	50

VERSION 4				
view				
code	WRC.2(1.2).19530.V4	WRC.4(2.2).19560.V4	WRC.6(3.2).19590.V4	WRC.8(4.2).195117.V4
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated	round perforated
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 5		
view		
code	WRC.4(2.2).19560.V5	WRC.8(4.2).195117.V5
no of door	4	8
door type	swing	swing
ventilation	round perforated	round perforated
height (cm)	195	195
width (cm)	60	117
depth (cm)	50	50

VERSION 6				
view				
code	WRC.2(1.2).19530.V6	WRC.4(2.2).19560.V6	WRC.6(3.2).19590.V6	WRC.8(4.2).195117.V6
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh	wire mesh
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 7		
view		
code	WRC.4(2.2).19560.V7	WRC.8(4.2).195117.V7
no of door	4	8
door type	swing	swing
ventilation	wire mesh	wire mesh
height (cm)	195	195
width (cm)	60	117
depth (cm)	50	50

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

1/2 DOORS - 195*40 SERIES

STANDARD			
view			
code	WRC.2(1.2).19540	WRC.4(2.2).19580	WRC.6(3.2).195120
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 1			
view			
code	WRC.2(1.2).19540.V1	WRC.4(2.2).19580.V1	WRC.6(3.2).195120.V1
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 4			
view			
code	WRC.2(1.2).19540.V4	WRC.4(2.2).19580.V4	WRC.6(3.2).195120.V4
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 6			
view			
code	WRC.2(1.2).19540.V6	WRC.4(2.2).19580.V6	WRC.6(3.2).195120.V6
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 2 & VERSION 3			
view			
code	WRC.4(2.2).19580.V2	WRC.4(2.2).19580.V3	
no of door	4	4	
door type	swing	swing	
ventilation	louvered	square perforated	
height (cm)	195	195	
width (cm)	80	80	
depth (cm)	50	50	

VERSION 5			
view			
code	WRC.4(2.2).19580.V5		
no of door	4		
door type	swing		
ventilation	round perforated		
height (cm)	195		
width (cm)	80		
depth (cm)	50		

VERSION 7			
view			
code	WRC.4(2.2).19580.V7		
no of door	4		
door type	swing		
ventilation	wire mesh		
height (cm)	195		
width (cm)	80		
depth (cm)	50		

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

ACCESSORIES FOR 1/2

SLOPING ROOFS				
				
code	height	width	depth	
WRR.30	20	30	50	
WRR.40	20	40	50	
WRR.60	20	60	50	
WRR.80	20	80	50	
WRR.90	20	90	50	
WRR.117	20	117	50	
WRR.120	20	120	50	

BASE				
				
code	height	width	depth	
WBS.30	10	30	50	
WBS.40	10	40	50	
WBS.60	10	60	50	
WBS.80	10	80	50	
WBS.90	10	90	50	
WBS.117	10	117	50	
WBS.120	10	120	50	

BENCH - STANDARD				
				
code	height	width	depth	
WRB.30	40	30	80	
WRB.40	40	40	80	
WRB.60	40	60	80	
WRB.80	40	80	80	
WRB.90	40	90	80	
WRB.117	40	117	80	
WRB.120	40	120	80	

FRAMED FEET				
				
code	height	width	depth	
WRF.30	10	30	50	
WRF.40	10	40	50	
WRF.60	10	60	50	
WRF.80	10	80	50	
WRF.90	10	90	50	
WRF.117	10	117	50	
WRF.120	10	120	50	

BENCH WITH SHOE GRILL				
				
code	height	width	depth	
WRB/SG.30	40	30	80	
WRB/SG.40	40	40	80	
WRB/SG.60	40	60	80	
WRB/SG.80	40	80	80	
WRB/SG.90	40	90	80	
WRB/SG.117	40	117	80	
WRB/SG.120	40	120	80	

BENCH WITH PULL OUT SEAT				
				
code	height	width	depth	
WRB/PO.30	40	30	80	
WRB/PO.40	40	40	80	
WRB/PO.60	40	60	80	
WRB/PO.80	40	80	80	
WRB/PO.90	40	90	80	
WRB/PO.117	40	117	80	
WRB/PO.120	40	120	80	

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

FLATPACK

FEATURES

- Durable Metal Construction
- Electrostatic Powder Coating
- Clean & Dirty Industry Models
- Base and Adding Units
- Top Shelf with Coat Rail and Hook in Each Section
- 1/2 Models (No Shelf)
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Flatpack in Single Corrugated Carton on Pallet

OPTIONAL

- Bottom Shelf *
- Perforated Door Types
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- 2.000 Differs 3 Point Round Head Camlock with 2 Keys *
- Latchlock
- Flush Latchlock
- 3 Point Latchlock *
- 20 cm Sloping Roof
- 10 cm Framed Feet
- 40 cm Bench Models

* Not Applicable for 1/2 Doors Model



CLEAN INDUSTRY - C/I

view		
code	WRC/FP 1/BU.30	WRC/FP 1/AU.30
item	base unit	adding unit
no of door	1	1
door type	right hung	right hung
ventilation	louvered	louvered
height (cm)	180	180
width (cm)	30	30
depth (cm)	50	50

DIRTY INDUSTRY - D/I

view		
code	WRD/FP 1/BU.40	WRD/FP 1/AU.40
item	base unit	adding unit
no of door	1	1
door type	right hung	right hung
ventilation	louvered	louvered
height (cm)	180	180
width (cm)	40	40
depth (cm)	50	50

1/2 DOORS

view		
code	WRC/FP 2/BU.30	WRC/FP 2/AU.30
item	base unit	adding unit
no of door	2	2
door type	right hung	right hung
ventilation	louvered	louvered
height (cm)	180	180
width (cm)	30	30
depth (cm)	50	50

SLOPING ROOFS



code	height	width	depth
WRR.30.B1	20	30	50
WRR.40.B1	20	40	50
WRR.60.B1A1	20	60	50
WRR.80.B1A1	20	80	50
WRR.90.B1A2	20	90	50
WRR.120.B1A3	20	120	50
WRR.120.B1A2	20	120	50

BASE



code	height	width	depth
WBS.30.B1	10	30	50
WBS.40.B1	10	40	50
WBS.60.B1A1	10	60	50
WBS.80.B1A1	10	80	50
WBS.90.B1A2	10	90	50
WBS.120.B1A3	10	120	50
WBS.120.B1A2	10	120	50

FRAMED FEET



code	height	width	depth
WRF.30.B1	10	30	50
WRF.40.B1	10	40	50
WRF.60.B1A1	10	60	50
WRF.80.B1A1	10	80	50
WRF.90.B1A2	10	90	50
WRF.120.B1A3	10	120	50
WRF.120.B1A2	10	120	50

BENCH - STANDARD



code	height	width	depth
WRB.30.B1	40	30	80
WRB.40.B1	40	40	80
WRB.60.B1A1	40	60	80
WRB.80.B1A1	40	80	80
WRB.90.B1A2	40	90	80
WRB.120.B1A3	40	120	80
WRB.120.B1A2	40	120	80

BENCH WITH SHOE GRILL



code	height	width	depth
WRB/SG.30.B1	40	30	80
WRB/SG.40.B1	40	40	80
WRB/SG.60.B1A1	40	60	80
WRB/SG.80.B1A1	40	80	80
WRB/SG.90.B1A2	40	90	80
WRB/SG.120.B1A3	40	120	80
WRB/SG.120.B1A2	40	120	80

BENCH WITH PULL OUT SEAT



code	height	width	depth
WRB/PO.30.B1	40	30	80
WRB/PO.40.B1	40	40	80
WRB/PO.60.B1A1	40	60	80
WRB/PO.80.B1A1	40	80	80
WRB/PO.90.B1A2	40	90	80
WRB/PO.120.B1A3	40	120	80
WRB/PO.120.B1A2	40	120	80

dimensions in cm (approximate)

Standard Colors For This Range

1015
Beige



5010
Blue



5015
Blue



7016
Anthracite



7035
Grey



WARDROBES & LOCKERS

WARDROBE CUPBOARDS

Z-TYPES

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Coat Rail with Hook in Each Section
- Reinforced Doors with 180° Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Perforated Door Types
- Swing & Folding Door Models
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



V1



V2



V3



STANDARD			
view			
code	WRZ/2.1840	WRZ/4.1877	WRZ/6.18114
no of door	2	4	6
door type	standard	standard	standard
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 1			
view			
code	WRZ/2.1840.V1	WRZ/4.1877.V1	WRZ/6.18114.V1
no of door	2	4	6
door type	standard	standard	standard
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 2			
view			
code	WRZ/2.1840.V2	WRZ/4.1877.V2	WRZ/6.18114.V2
no of door	2	4	6
door type	swing	swing	swing
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 3			
view			
code	WRZ/2.1840.V3	WRZ/4.1877.V3	WRZ/6.18114.V3
no of door	2	4	6
door type	swing	swing	swing
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 4			
view			
code	WRZ/2.1840.V4	WRZ/4.1877.V4	WRZ/6.18114.V4
no of door	2	4	6
door type	standard	standard	standard
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

dimensions in cm (approximate)

Standard Colors For This Range



WARDROBES & LOCKERS

WARDROBE CUPBOARDS

Z-TYPES



VERSION 5			
view			
code	WRZ/2.1840.V5	WRZ/4.1877.V5	WRZ/6.18114.V5
no of door	2	4	6
door type	swing	swing	swing
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 9			
view			
code	WRZ/2.1840.V9	WRZ/4.1877.V9	WRZ/6.18114.V9
no of door	2	4	6
door type	folding	folding	folding
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 8			
view			
code	WRZ/2.1840.V8	WRZ/4.1877.V8	WRZ/6.18114.V8
no of door	2	4	6
door type	folding	folding	folding
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 10			
view			
code	WRZ/2.1840.V10	WRZ/4.1877.V10	WRZ/6.18114.V10
no of door	2	4	6
door type	folding	folding	folding
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

ACCESSORIES FOR Z-TYPES

SLOPING ROOFS				
code	height	width	depth	
WRR.Z40	20	40	50	
WRR.77	20	77	50	
WRR.114	20	114	50	

BASE				
code	height	width	depth	
WBS.Z40	10	40	50	
WBS.77	10	77	50	
WBS.114	10	114	50	








FRAMED FEET				
code	height	width	depth	
WRF.Z40	10	40	50	
WRF.77	10	77	50	
WRF.114	10	114	50	

BENCH - STANDARD				
code	height	width	depth	
WRB.Z40	40	40	80	
WRB.77	40	77	80	
WRB.114	40	114	80	

BENCH WITH SHOE GRILL				
code	height	width	depth	
WRB/SG.Z40	40	40	80	
WRB/SG.77	40	77	80	
WRB/SG.114	40	114	80	

BENCH WITH PULL OUT SEAT				
code	height	width	depth	
WRB/PO.Z40	40	40	80	
WRB/PO.77	40	77	80	
WRB/PO.114	40	114	80	

dimensions in cm (approximate)



WARDROBES & LOCKERS

BENCHES

SEPARATE BENCHES

SEPARATE BENCHES FEATURES

- Metal Frame
- Varnished Hornbeam Slats
- Packaging: Flatpack in Corrugated Carton

OPTIONAL

- Plastic Slat
- Shoe Grill
- Legs with Floor Fixing Part
[Screw Kit is Not Included]

STACKABLE BENCHES FEATURES

- Metal Frame
- Varnished Pine Slats
- Packaging: Stacked on Pallet

OPTIONAL

- Plastic Slat



SEPARATE BENCH



code	height	width	depth
SRB.40	40	40	40
SRB.60	40	60	40
SRB.80	40	80	40
SRB.90	40	90	40
SRB.100	40	100	40
SRB.120	40	120	40
SRB.150	40	150	40
SRB.160	40	160	40
SRB.200	40	200	40

SEPARATE BENCH WITH BACK REST



code	height	width	depth
SRB/R.100	40-90(th)	100	40
SRB/R.120	40-90(th)	120	40
SRB/R.150	40-90(th)	150	40
SRB/R.160	40-90(th)	160	40
SRB/R.200	40-90(th)	200	40

WALL MOUNT BENCH



code	height	width	depth
WMB.4010030	40	100	30
WMB.4012030	40	120	30
WMB.4014030	40	140	30

STACKABLE BENCH




code	height	width	depth
STB.120	45	120	43
STB.160	45	160	43
STB.200	45	200	43

OPTIONAL



FLOOR FIXING

OPTIONAL



PLASTIC SLAT

dimensions in cm (approximate)

Standard Metal Colors For This Range

7016
Anthracite



7035
Grey



9005
Black



WARDROBES & LOCKERS

BENCHES

BENCH UNITS

FEATURES

- Metal Frame
- Varnished Hornbeam Slats
- Single and Double Sided Bench Units
- Legs with Floor Fixing Part [Screw Kit is Not Included]
- Packaging: Flatpack in Corrugated Carton

OPTIONAL

- Plastic Slat



SINGLE SIDED BENCH UNITS



code	model	no of hooks	height	width	depth
SBU/BG.120	only bottom grill	4	40(sh)-189(th)	120	40
SBU/BG.160	only bottom grill	6	40(sh)-189(th)	160	40
SBU/BG.200	only bottom grill	8	40(sh)-189(th)	200	40
SBU/TBG.120	top & bottom grill	4	40(sh)-189(th)	120	40
SBU/TBG.160	top & bottom grill	6	40(sh)-189(th)	160	40
SBU/TBG.200	top & bottom grill	8	40(sh)-189(th)	200	40

DOUBLE SIDED BENCH UNITS



code	model	no of hooks	height	width	depth
DBU/BG.120	only bottom grill	4+4	40(sh)-189(th)	120	77
DBU/BG.160	only bottom grill	6+6	40(sh)-189(th)	160	77
DBU/BG.200	only bottom grill	8+8	40(sh)-189(th)	200	77
DBU/TBG.120	top & bottom grill	4+4	40(sh)-189(th)	120	77
DBU/TBG.160	top & bottom grill	6+6	40(sh)-189(th)	160	77
DBU/TBG.200	top & bottom grill	8+8	40(sh)-189(th)	200	77

dimensions in cm (approximate)

Standard Metal Colors For This Range

7016
Anthracite



7035
Grey



9005
Black



WARDROBES & LOCKERS


FIREMAN CUPBOARDS

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Upper Shelf for Helmet
- Coat Rail with Hook in Each Section
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Louvered Doors for Air Circulation
- Envelope Case and 2 Hooks on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards
[Screw Kit is Not Included]
- 2.000 Differs 3 Point Round Head Camlock with 2 Keys
- Latchlock
- Flush Latchlock
- 3 Point Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



view		
code	FRM/F.1	FRM/F.2
no of door	1	2
door type	right hung	right hung
ventilation	louvered	louvered
feet	10 cm	10 cm
height (cm)	205	205
width (cm)	50	97
depth (cm)	55	55

dimensions in cm (approximate)

Standard Colors For This Range

3000

Red

7035

Grey

WARDROBES & LOCKERS


POLICEMAN CUPBOARDS



FEATURES

- Heavy Duty Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Handgun Case with Lock on Top Shelf
- Coat Rail with Hook in Each Section
- Small Shelves for Storage of Various Police Tools
- Mirror & Sunglasses-Handcuffs Cases & Baton Holder on Doors
- Round Perforated Doors for Air Circulation
- Anti-Noise Plastic Buffers on Doors
- Stamped Label Holder on Doors
- 1000 Differs 3 Point Flush Handle Lock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



view		
code	PLC/F.1	PLC/F.2
no of door	1	2
door type	right hung	right hung
ventilation	round perforated	round perforated
feet	10 cm	10 cm
height (cm)	190	190
width (cm)	60	117
depth (cm)	55	55

dimensions in cm (approximate)

Standard Colors For This Range				
5010 Blue		6011 Green		9005 Black
		*		9016 White
				

* Minimum Order Required

WARDROBES & LOCKERS

CUBE LOCKERS

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Can be Multiple by Bolting Together Side by Side or on Each Other
- Reinforced Doors with Semi-Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- 8 cm Base *
- 2,000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

* Should be Ordered Separately as per Column

OPTIONAL

- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock



view		
code	CBL.38	BS/CBL.38
item	cube locker	base
height (cm)	38	8
width (cm)	38	38
depth (cm)	38	37

dimensions in cm (approximate)

Standard Colors For This Range					
5010 Blue		5015 Blue		7016 Anthracite	
1021 Yellow		2004 Orange		3000 Red	
	*		*		*
					*

* Minimum Order Required

WARDROBES & LOCKERS

MULTI-CASE LOCKERS

STANDARD - 30 SERIES

FEATURES

Durable Welded Metal Construction
Electrostatic Powder Coating
Wall Mounting Holes on Rear Top
3/4/5 Doors Models
Reinforced Doors with Anti-Noise Plastic Buffers
Concealed Full Length Bar Hinge
Stamped Label Holder on Doors
2,000 Differs Round Head Camlock with 2 Keys
Masterkey Support
Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

Bolting Holes on Sides to Connect Cupboards
[Screw Kit is Not Included]
Envelope Hole on Doors
Coin Lock & Wheel Combination Lock
Latchlock
Flush Latchlock
20 cm Sloping Roof [Screw Fixing]
10 cm Base [Screw Fixing]
10 cm Feet [Welded or Screw Fixing on Request]
10 cm Framed Feet [Screw Fixing]



1/3 SERIES

view				
code	MCL.3(1.3).30	MCL.6(2.3).30	MCL.9(3.3).30	MCL.12(4.3).30
no of door	3	6	9	12
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	540(h)*220(w)*475(d) mm			


1/4 SERIES

view				
code	MCL.4(1.4).30	MCL.8(2.4).30	MCL.12(3.4).30	MCL.16(4.4).30
no of door	4	8	12	16
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	400(h)*220(w)*475(d) mm			

1/5 SERIES


view				
code	MCL.5(1.5).30	MCL.10(2.5).30	MCL.15(3.5).30	MCL.20(4.5).30
no of door	5	10	15	20
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	315(h)*220(w)*475(d) mm			

DOOR
OPENING
DEGREE



dimensions in cm (approximate)

Standard Colors For This Range



* Minimum Order Required

WARDROBES & LOCKERS

MULTI-CASE LOCKERS

STANDARD - 40 SERIES

FEATURES

Durable Welded Metal Construction
Electrostatic Powder Coating
Wall Mounting Holes on Rear Top
3/4/5 Doors Models
Reinforced Doors with Anti-Noise Plastic Buffers
Concealed Full Length Bar Hinge
Stamped Label Holder on Doors
2,000 Differs Round Head Camlock with 2 Keys
Masterkey Support
Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

Bolting Holes on Sides to Connect Cupboards
[Screw Kit is Not Included]
Envelope Hole on Doors
Coin Lock & Wheel Combination Lock
Latchlock
Flush Latchlock
20 cm Sloping Roof [Screw Fixing]
10 cm Base [Screw Fixing]
10 cm Feet [Welded or Screw Fixing on Request]
10 cm Framed Feet [Screw Fixing]



1/3 SERIES

view			
code	MCL.3(1.3).40	MCL.6(2.3).40	MCL.9(3.3).40
no of door	3	6	9
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	540(h)*320(w)*475(d) mm		

1/4 SERIES

view			
code	MCL.4(1.4).40	MCL.8(2.4).40	MCL.12(3.4).40
no of door	4	8	12
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	400(h)*320(w)*475(d) mm		

1/5 SERIES

view			
code	MCL.5(1.5).40	MCL.10(2.5).40	MCL.15(3.5).40
no of door	5	10	15
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	315(h)*320(w)*475(d) mm		

dimensions in cm (approximate)

Standard Colors For This Range



* Minimum Order Required

WARDROBES & LOCKERS

MULTI-CASE LOCKERS

STANDARD - ACCESSORIES

SLOPING ROOFS



code	height	width	depth
MCR.30	20	30	50
MCR.40	20	40	50
MCR.60	20	60	50
MCR.80	20	80	50
MCR.90	20	90	50
MCR.117	20	117	50
MCR.120	20	120	50

BASE



code	height	width	depth
MCB.30	10	30	50
MCB.40	10	40	50
MCB.60	10	60	50
MCB.80	10	80	50
MCB.90	10	90	50
MCB.117	10	117	50
MCB.120	10	120	50

FRAMED FEET



code	height	width	depth
MCF.30	10	30	50
MCF.40	10	40	50
MCF.60	10	60	50
MCF.80	10	80	50
MCF.90	10	90	50
MCF.117	10	117	50
MCF.120	10	120	50


dimensions in cm (approximate)

WARDROBES & LOCKERS

MULTI-CASE LOCKERS

STANDARD - LOCK OPTIONS

CAMLOCK



LATCHLOCK



WHEEL COMBINATION LOCK



COIN LOCK (1 euro)



FLUSH LATCHLOCK



WARDROBES & LOCKERS

MULTI-CASE LOCKERS

VISIBLE DOORS - 30 SERIES

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Framed Plexiglass Doors with Anti-Noise Plastic Buffers
- Concealed Full Length Bar Hinge
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]

1/3 SERIES				
view				
code	MCLVD.3(1.3).30	MCLVD.6(2.3).30	MCLVD.9(3.3).30	MCLVD.12(4.3).30
no of door	3	6	9	12
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	540(h)*220(w)*475(d) mm			

1/4 SERIES				
view				
code	MCLVD.4(1.4).30	MCLVD.8(2.4).30	MCLVD.12(3.4).30	MCLVD.16(4.4).30
no of door	4	8	12	16
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	400(h)*220(w)*475(d) mm			

1/5 SERIES				
view				
code	MCLVD.5(1.5).30	MCLVD.10(2.5).30	MCLVD.15(3.5).30	MCLVD.20(4.5).30
no of door	5	10	15	20
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	315(h)*220(w)*475(d) mm			

dimensions in cm (approximate)

WARDROBES & LOCKERS

MULTI-CASE LOCKERS

VISIBLE DOORS - 40 SERIES



dimensions in cm (approximate)

1/3 SERIES			
view			
code	MCLVD.3(1.3).40	MCLVD.6(2.3).40	MCLVD.9(3.3).40
no of door	3	6	9
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	540(h)*320(w)*475(d) mm		

1/4 SERIES			
view			
code	MCLVD.4(1.4).40	MCLVD.8(2.4).40	MCLVD.12(3.4).40
no of door	4	8	12
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	400(h)*320(w)*475(d) mm		

1/5 SERIES			
view			
code	MCLVD.5(1.5).40	MCLVD.10(2.5).40	MCLVD.15(3.5).40
no of door	5	10	15
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	315(h)*320(w)*475(d) mm		

Standard Colors For This Range



* Minimum Order Required

WARDROBES & LOCKERS

MULTI-CASE LOCKERS

VISIBLE DOORS - ACCESSORIES

SLOPING ROOFS



code	height	width	depth
MCR.30	20	30	50
MCR.40	20	40	50
MCR.60	20	60	50
MCR.80	20	80	50
MCR.90	20	90	50
MCR.117	20	117	50
MCR.120	20	120	50

BASE



code	height	width	depth
MCB.30	10	30	50
MCB.40	10	40	50
MCB.60	10	60	50
MCB.80	10	80	50
MCB.90	10	90	50
MCB.117	10	117	50
MCB.120	10	120	50

FRAMED FEET



code	height	width	depth
MCF.30	10	30	50
MCF.40	10	40	50
MCF.60	10	60	50
MCF.80	10	80	50
MCF.90	10	90	50
MCF.117	10	117	50
MCF.120	10	120	50


dimensions in cm (approximate)

WARDROBES & LOCKERS

MULTI-CASE LOCKERS

VISIBLE DOORS - LOCK OPTIONS

CAMLOCK



LATCHLOCK



FLUSH LATCHLOCK



COIN LOCK (1 euro)



WHEEL COMBINATION LOCK



WARDROBES & LOCKERS

MULTI-CASE LOCKERS

LAMINATE DOORS - 30 SERIES

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Compact Laminate Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards
[Screw Kit is Not Included]
- Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



1/3 SERIES

view				
code	MCL/LD.3(1.3).30	MCL/LD.6(2.3).30	MCL/LD.9(3.3).30	MCL/LD.12(4.3).30
no of door	3	6	9	12
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	540(h)*220(w)*475(d) mm			

1/4 SERIES

view				
code	MCL/LD.4(1.4).30	MCL/LD.8(2.4).30	MCL/LD.12(3.4).30	MCL/LD.16(4.4).30
no of door	4	8	12	16
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	400(h)*220(w)*475(d) mm			

1/5 SERIES

view				
code	MCL/LD.5(1.5).30	MCL/LD.10(2.5).30	MCL/LD.15(3.5).30	MCL/LD.20(4.5).30
no of door	5	10	15	20
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50
compartment size	315(h)*220(w)*475(d) mm			

dimensions in cm (approximate)

Standard Metal Colors For This Range

7016
Anthracite



Standard Laminate Colors For This Range

Grey



* Minimum Order Required

WARDROBES & LOCKERS

MULTI-CASE LOCKERS

LAMINATE DOORS - 40 SERIES

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Compact Laminate Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



1/3 SERIES			
view			
code	MCL/LD.3(1.3).40	MCL/LD.6(2.3).40	MCL/LD.9(3.3).40
no of door	3	6	9
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	540(h)*320(w)*475(d) mm		

1/4 SERIES			
view			
code	MCL/LD.4(1.4).40	MCL/LD.8(2.4).40	MCL/LD.12(3.4).40
no of door	4	8	12
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	400(h)*320(w)*475(d) mm		

1/5 SERIES			
view			
code	MCL/LD.5(1.5).40	MCL/LD.10(2.5).40	MCL/LD.15(3.5).40
no of door	5	10	15
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50
compartment size	315(h)*320(w)*475(d) mm		

dimensions in cm (approximate)

WARDROBES & LOCKERS

MULTI-CASE LOCKERS

ACCESSORIES & LOCK OPTIONS

SLOPING ROOFS			
code	height	width	depth
MCR.30	20	30	50
MCR.40	20	40	50
MCR.60	20	60	50
MCR.80	20	80	50
MCR.90	20	90	50
MCR.117	20	117	50
MCR.120	20	120	50

BASE			
code	height	width	depth
MCB.30	10	30	50
MCB.40	10	40	50
MCB.60	10	60	50
MCB.80	10	80	50
MCB.90	10	90	50
MCB.117	10	117	50
MCB.120	10	120	50

FRAMED FEET			
code	height	width	depth
MCF.30	10	30	50
MCF.40	10	40	50
MCF.60	10	60	50
MCF.80	10	80	50
MCF.90	10	90	50
MCF.117	10	117	50
MCF.120	10	120	50

dimensions in cm (approximate)

LOCK OPTIONS	
LATCHLOCK	

Standard Metal Colors For This Range

7016
Anthracite



Standard Laminate Colors For This Range

Grey



* Minimum Order Required

WARDROBES & LOCKERS

SCHOOL CUPBOARDS

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- 3/4/5 Doors Models
- Reinforced Doors with Anti-Noise Plastic Buffers
- Concealed Full Length Bar Hinge
- Stamped Label Holder on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL


- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]




1/3 SERIES

view			
code	SHC.3(1.3).40	SHC.6(2.3).40	SHC.9(3.3).40
door(s)	3	6	9
height (cm)	190	190	190
width (cm)	41	80	119
depth (cm)	45	45	45
compartment size	575(h)*320(w)*425(d) mm		

1/4 SERIES


view			
code	SHC.4(1.4).40	SHC.8(2.4).40	SHC.12(3.4).40
door(s)	4	8	12
height (cm)	190	190	190
width (cm)	41	80	119
depth (cm)	45	45	45
compartment size	425(h)*320(w)*425(d) mm		

1/5 SERIES

view			
code	SHC.5(1.5).40	SHC.10(2.5).40	SHC.15(3.5).40
door(s)	5	10	15
height (cm)	190	190	190
width (cm)	41	80	119
depth (cm)	45	45	45
compartment size	330(h)*320(w)*425(d) mm		

dimensions in cm (approximate)

Standard Colors For This Range



* Minimum Order Required

WARDROBES & LOCKERS

SCHOOL CUPBOARDS

ACCESSORIES

SLOPING ROOFS



code	height	width	depth
SHR.41	20	41	45
SHR.80	20	80	45
SHR.119	20	119	45

BASE



code	height	width	depth
SHB.41	10	41	45
SHB.80	10	80	45
SHB.119	10	119	45

FRAMED FEET



code	height	width	depth
SHF.41	10	41	45
SHF.80	10	80	45
SHF.119	10	119	45


dimensions in cm (approximate)

WARDROBES & LOCKERS

SCHOOL CUPBOARDS

LOCK OPTIONS

CAMLOCK



LATCHLOCK



FLUSH LATCHLOCK



COIN LOCK (1 euro)



WHEEL COMBINATION LOCK



WARDROBES & LOCKERS

CLOAKROOM STORAGE UNITS

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Combination of Lockers & Vestuary Set & Side Panels
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton



view						
code	CRU 5S3065	CRU 5S3065	CRU 5S4065	CRU 5S4065	CSU 5S4065	CSU 5S4065
combination	5+S	5+5	5+S	5+5	5+S	5+5
vestiary set	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm
height (cm)	180	180	180	180	190	190
width (cm)	30+65	30+65+30	40+65	40+65+40	41+65	41+65+41
depth (cm)	50	50	50	50	45	45
compartment size	315(h)*220(w)*475(d) mm		315(h)*320(w)*475(d) mm		330(h)*320(w)*425(d) mm	

dimensions in cm (approximate)

Standard Colors For This Range

5010 Blue		5015 Blue		7016 Anthracite		7035 Grey	
1021 Yellow		2004 Orange		3000 Red		6011 Green	

* Minimum Order Required

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- 1 and 2 Rows Models
- Rear Mounting Holes
- Wooden Slat with Hook under Lockers in Equal Number to Compartments
- Reinforced Doors with Anti-Noise Plastic Buffers
- Concealed Hinge
- Stamped Label Holder on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock



LOCKERS						
view						
code	WLC.3(3.1).40	WLC.6(3.2).40	WLC.4(4.1).40	WLC.8(4.2).40	WLC.5(5.1).40	WLC.10(5.2).40
no of door	3	6	4	8	5	10
height (cm)	40	74	40	74	40	74
width (cm)	119	119	157	157	196	196
depth (cm)	45	45	45	45	45	45
compartment size	320(h)*320(w)*425(d)					

SLATS WITH HOOKS						
view						
code	STH.3.119	STH.6.119	STH.4.157	STH.8.157	STH.5.196	STH.10.196
no of hook	3	6	4	8	5	10
height (cm)	11	11	11	11	11	11
width (cm)	119	119	157	157	196	196

dimensions in cm (approximate)

Standard Colors For This Range

5010 Blue		5015 Blue		7016 Anthracite		7035 Grey	
1021 Yellow		2004 Orange		3000 Red		6011 Green	

* Minimum Order Required

WARDROBES & LOCKERS

PERSONAL EFFECTS LOCKERS

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Ideal for Small Valuables
- Wall Mounting Holes on Rear Top
- Reinforced Doors with Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Coin Lock



view							
code	PEL 20(4.5)	PEL 24(4.6)	PEL 28(4.7)	PEL 32(4.8)	PEL 25(5.5)	PEL 30(6.5)	PEL 35(7.5)
no of door	20	24	28	32	25	30	35
height (cm)	110	130	149	168	110	110	110
width (cm)	80	80	80	80	99	119	138
depth (cm)	15	15	15	15	15	15	15
compartment size	165(h)*140(w)*125(d) mm						

dimensions in cm (approximate)

Standard Colors For This Range

5010
Blue

5015
Blue

7016
Anthracite

7035
Grey

WARDROBES & LOCKERS

LAPTOP STORAGE LOCKER

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Stamped Label Holder on Doors
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]



dimensions in cm (approximate)

view	
code	LSL.10(1.10)
no of door	10
height (cm)	180
width (cm)	50
depth (cm)	50
compartment size (mm)	160(h)*400(w)*475(d)

Standard Colors For This Range

