

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

DIRTY INDUSTRY

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Top Shelf with Coat Rail and Hook in Each Section
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Bottom Shelf
- Perforated Door Types
- Envelope Hole on Doors
- Coin Lock & Wheel Combination Lock
- 2.000 Differs 3 Point Round Head Camlock with 2 Keys
- Latchlock
- Flush Latchlock
- 3 Point Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 50 cm Top Cupboard [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



STANDARD			
view			
code	WRD/1.1840	WRD/2.1880	WRD/3.1812
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 1			
view			
code	WRD/1.1840.V1	WRD/2.1880.V1	WRD/3.1812.V1
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 4			
view			
code	WRD/1.1840.V4	WRD/2.1880.V4	WRD/3.1812.V4
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 6			
view			
code	WRD/1.1840.V6	WRD/2.1880.V6	WRD/3.1812.V6
no of door	1	2	3
door type	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

dimensions in cm (approximate)

Standard Colors For This Range





TOP CUPBOARDS

view			
code	WTC/1.5040	WTC/2.5080	WTC/3.5012
no of door	1	2	3
door type	standard	standard	standard
ventilation	louvered	louvered	louvered
height (cm)	50	50	50
width (cm)	40	80	120
depth (cm)	50	50	50

SLOPING ROOFS



code	height	width	depth
WRR.40	20	40	50
WRR.80	20	80	50
WRR.120	20	120	50

BASE



code	height	width	depth
WBS.40	10	40	50
WBS.80	10	80	50
WBS.120	10	120	50

FRAMED FEET



code	height	width	depth
WRF.40	10	40	50
WRF.80	10	80	50
WRF.120	10	120	50

BENCH - STANDARD



code	height	width	depth
WRB.40	40	40	80
WRB.80	40	80	80
WRB.120	40	120	80

BENCH WITH SHOE GRILL



code	height	width	depth
WRB/SG.40	40	40	80
WRB/SG.80	40	80	80
WRB/SG.120	40	120	80

BENCH WITH PULL OUT SEAT



code	height	width	depth
WRB/PO.40	40	40	80
WRB/PO.80	40	80	80
WRB/PO.120	40	120	80

dimensions in cm (approximate)

