

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

1/2 DOORS - 180*30 SERIES

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Coat Rail with Hook in Each Section
- Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Perforated Door Types
- Swing Door Model
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet
- [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



STANDARD				
view				
code	WRC.2(1.2).18030	WRC.4(2.2).18060	WRC.6(3.2).18090	WRC.8(4.2).180117
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 1				
view				
code	WRC.2(1.2).18030.V1	WRC.4(2.2).18060.V1	WRC.6(3.2).18090.V1	WRC.8(4.2).180117.V1
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 2 & VERSION 3				
view				
code	WRC.4(2.2).18060.V2	WRC.8(4.2).180117.V2	WRC.4(2.2).18060.V3	WRC.8(4.2).180117.V3
no of door	4	8	4	8
door type	swing	swing	swing	swing
ventilation	louvered	louvered	square perforated	square perforated
height (cm)	180	180	180	180
width (cm)	60	117	60	117
depth (cm)	50	50	50	50



VERSION 4				
view				
code	WRC.2(1.2).18030.V4	WRC.4(2.2).18060.V4	WRC.6(3.2).18090.V4	WRC.8(4.2).180117.V4
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated	round perforated
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 5		
view		
code	WRC.4(2.2).18060.V5	WRC.8(4.2).180117.V5
no of door	4	8
door type	swing	swing
ventilation	round perforated	round perforated
height (cm)	180	180
width (cm)	60	117
depth (cm)	50	50

VERSION 6				
view				
code	WRC.2(1.2).18030.V6	WRC.4(2.2).18060.V6	WRC.6(3.2).18090.V6	WRC.8(4.2).180117.V6
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180	180
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 7		
view		
code	WRC.4(2.2).18060.V7	WRC.8(4.2).180117.V7
no of door	4	8
door type	swing	swing
ventilation	wire mesh	wire mesh
height (cm)	180	180
width (cm)	60	117
depth (cm)	50	50

dimensions in cm (approximate)

Standard Colors For This Range



WARDROBES & LOCKERS

WARDROBE CUPBOARDS

1/2 DOORS - 180*40 SERIES

STANDARD			
view			
code	WRC.2(1.2).18040	WRC.4(2.2).18080	WRC.6(3.2).180120
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 1			
view			
code	WRC.2(1.2).18040.V1	WRC.4(2.2).18080.V1	WRC.6(3.2).180120.V1
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 2 & VERSION 3		
view		
code	WRC.4(2.2).18080.V2	WRC.4(2.2).18080.V3
no of door	4	4
door type	swing	swing
ventilation	louvered	square perforated
height (cm)	180	180
width (cm)	80	80
depth (cm)	50	50

VERSION 4			
view			
code	WRC.2(1.2).18040.V4	WRC.4(2.2).18080.V4	WRC.6(3.2).180120.V4
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 5	
view	
code	WRC.4(2.2).18080.V5
no of door	4
door type	swing
ventilation	round perforated
height (cm)	180
width (cm)	80
depth (cm)	50

VERSION 6			
view			
code	WRC.2(1.2).18040.V6	WRC.4(2.2).18080.V6	WRC.6(3.2).180120.V6
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh
height (cm)	180	180	180
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 7	
view	
code	WRC.4(2.2).18080.V7
no of door	4
door type	swing
ventilation	wire mesh
height (cm)	180
width (cm)	80
depth (cm)	50

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

1/2 DOORS - 195*30 SERIES

STANDARD				
view				
code	WRC.2(1.2).19530	WRC.4(2.2).19560	WRC.6(3.2).19590	WRC.8(4.2).195117
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 1				
view				
code	WRC.2(1.2).19530.V1	WRC.4(2.2).19560.V1	WRC.6(3.2).19590.V1	WRC.8(4.2).195117.V1
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 2 & VERSION 3				
view				
code	WRC.4(2.2).19560.V2	WRC.8(4.2).195117.V2	WRC.4(2.2).19560.V3	WRC.8(4.2).195117.V3
no of door	4	8	4	8
door type	swing	swing	swing	swing
ventilation	louvered	louvered	square perforated	square perforated
height (cm)	195	195	195	195
width (cm)	60	117	60	117
depth (cm)	50	50	50	50

VERSION 4				
view				
code	WRC.2(1.2).19530.V4	WRC.4(2.2).19560.V4	WRC.6(3.2).19590.V4	WRC.8(4.2).195117.V4
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated	round perforated
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 5		
view		
code	WRC.4(2.2).19560.V5	WRC.8(4.2).195117.V5
no of door	4	8
door type	swing	swing
ventilation	round perforated	round perforated
height (cm)	195	195
width (cm)	60	117
depth (cm)	50	50

VERSION 6				
view				
code	WRC.2(1.2).19530.V6	WRC.4(2.2).19560.V6	WRC.6(3.2).19590.V6	WRC.8(4.2).195117.V6
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh	wire mesh
height (cm)	195	195	195	195
width (cm)	30	60	90	117
depth (cm)	50	50	50	50

VERSION 7		
view		
code	WRC.4(2.2).19560.V7	WRC.8(4.2).195117.V7
no of door	4	8
door type	swing	swing
ventilation	wire mesh	wire mesh
height (cm)	195	195
width (cm)	60	117
depth (cm)	50	50

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

1/2 DOORS - 195*40 SERIES

STANDARD			
view			
code	WRC.2(1.2).19540	WRC.4(2.2).19580	WRC.6(3.2).195120
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 1			
view			
code	WRC.2(1.2).19540.V1	WRC.4(2.2).19580.V1	WRC.6(3.2).195120.V1
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 4			
view			
code	WRC.2(1.2).19540.V4	WRC.4(2.2).19580.V4	WRC.6(3.2).195120.V4
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 6			
view			
code	WRC.2(1.2).19540.V6	WRC.4(2.2).19580.V6	WRC.6(3.2).195120.V6
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	wire mesh	wire mesh	wire mesh
height (cm)	195	195	195
width (cm)	40	80	120
depth (cm)	50	50	50

VERSION 2 & VERSION 3			
view			
code	WRC.4(2.2).19580.V2	WRC.4(2.2).19580.V3	
no of door	4	4	
door type	swing	swing	
ventilation	louvered	square perforated	
height (cm)	195	195	
width (cm)	80	80	
depth (cm)	50	50	

VERSION 5			
view			
code	WRC.4(2.2).19580.V5		
no of door	4		
door type	swing		
ventilation	round perforated		
height (cm)	195		
width (cm)	80		
depth (cm)	50		

VERSION 7			
view			
code	WRC.4(2.2).19580.V7		
no of door	4		
door type	swing		
ventilation	wire mesh		
height (cm)	195		
width (cm)	80		
depth (cm)	50		

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

ACCESSORIES FOR 1/2

SLOPING ROOFS				
				
code	height	width	depth	
WRR.30	20	30	50	
WRR.40	20	40	50	
WRR.60	20	60	50	
WRR.80	20	80	50	
WRR.90	20	90	50	
WRR.117	20	117	50	
WRR.120	20	120	50	

BASE				
				
code	height	width	depth	
WBS.30	10	30	50	
WBS.40	10	40	50	
WBS.60	10	60	50	
WBS.80	10	80	50	
WBS.90	10	90	50	
WBS.117	10	117	50	
WBS.120	10	120	50	

BENCH - STANDARD				
				
code	height	width	depth	
WRB.30	40	30	80	
WRB.40	40	40	80	
WRB.60	40	60	80	
WRB.80	40	80	80	
WRB.90	40	90	80	
WRB.117	40	117	80	
WRB.120	40	120	80	

FRAMED FEET				
				
code	height	width	depth	
WRF.30	10	30	50	
WRF.40	10	40	50	
WRF.60	10	60	50	
WRF.80	10	80	50	
WRF.90	10	90	50	
WRF.117	10	117	50	
WRF.120	10	120	50	

BENCH WITH SHOE GRILL				
				
code	height	width	depth	
WRB/SG.30	40	30	80	
WRB/SG.40	40	40	80	
WRB/SG.60	40	60	80	
WRB/SG.80	40	80	80	
WRB/SG.90	40	90	80	
WRB/SG.117	40	117	80	
WRB/SG.120	40	120	80	

BENCH WITH PULL OUT SEAT				
				
code	height	width	depth	
WRB/PO.30	40	30	80	
WRB/PO.40	40	40	80	
WRB/PO.60	40	60	80	
WRB/PO.80	40	80	80	
WRB/PO.90	40	90	80	
WRB/PO.117	40	117	80	
WRB/PO.120	40	120	80	

dimensions in cm (approximate)

