

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

Z-TYPES

FEATURES

- Durable Welded Metal Construction
- Electrostatic Powder Coating
- Wall Mounting Holes on Rear Top
- Coat Rail with Hook in Each Section
- Reinforced Doors with 180° Concealed Hinges and Anti-Noise Plastic Buffers
- Stamped Label Holder on Doors
- Louvered Doors for Air Circulation
- 2.000 Differs Round Head Camlock with 2 Keys
- Masterkey Support
- Packaging: Nylon Bag + Corrugated Carton

OPTIONAL

- Bolting Holes on Sides to Connect Cupboards [Screw Kit is Not Included]
- Perforated Door Types
- Swing & Folding Door Models
- Coin Lock & Wheel Combination Lock
- Latchlock
- Flush Latchlock
- 20 cm Sloping Roof [Screw Fixing]
- 10 cm Base [Screw Fixing]
- 10 cm Feet [Welded or Screw Fixing on Request]
- 10 cm Framed Feet [Screw Fixing]
- 40 cm Bench Models [Screw Fixing]



STANDARD			
view			
code	WRZ/2.1840	WRZ/4.1877	WRZ/6.18114
no of door	2	4	6
door type	standard	standard	standard
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 1			
view			
code	WRZ/2.1840.V1	WRZ/4.1877.V1	WRZ/6.18114.V1
no of door	2	4	6
door type	standard	standard	standard
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50



VERSION 2			
view			
code	WRZ/2.1840.V2	WRZ/4.1877.V2	WRZ/6.18114.V2
no of door	2	4	6
door type	swing	swing	swing
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 3			
view			
code	WRZ/2.1840.V3	WRZ/4.1877.V3	WRZ/6.18114.V3
no of door	2	4	6
door type	swing	swing	swing
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 4			
view			
code	WRZ/2.1840.V4	WRZ/4.1877.V4	WRZ/6.18114.V4
no of door	2	4	6
door type	standard	standard	standard
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

dimensions in cm (approximate)

Standard Colors For This Range



WARDROBES & LOCKERS

WARDROBE CUPBOARDS

Z-TYPES



VERSION 5			
view			
code	WRZ/2.1840.V5	WRZ/4.1877.V5	WRZ/6.18114.V5
no of door	2	4	6
door type	swing	swing	swing
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 9			
view			
code	WRZ/2.1840.V9	WRZ/4.1877.V9	WRZ/6.18114.V9
no of door	2	4	6
door type	folding	folding	folding
ventilation	square perforated	square perforated	square perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 8			
view			
code	WRZ/2.1840.V8	WRZ/4.1877.V8	WRZ/6.18114.V8
no of door	2	4	6
door type	folding	folding	folding
ventilation	louvered	louvered	louvered
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

VERSION 10			
view			
code	WRZ/2.1840.V10	WRZ/4.1877.V10	WRZ/6.18114.V10
no of door	2	4	6
door type	folding	folding	folding
ventilation	round perforated	round perforated	round perforated
height (cm)	180	180	180
width (cm)	40	77	114
depth (cm)	50	50	50

dimensions in cm (approximate)

WARDROBES & LOCKERS

WARDROBE CUPBOARDS

ACCESSORIES FOR Z-TYPES

SLOPING ROOFS			
code	height	width	depth
WRR.Z40	20	40	50
WRR.77	20	77	50
WRR.114	20	114	50

BASE			
code	height	width	depth
WBS.Z40	10	40	50
WBS.77	10	77	50
WBS.114	10	114	50

FRAMED FEET			
code	height	width	depth
WRF.Z40	10	40	50
WRF.77	10	77	50
WRF.114	10	114	50

BENCH - STANDARD			
code	height	width	depth
WRB.Z40	40	40	80
WRB.77	40	77	80
WRB.114	40	114	80

BENCH WITH SHOE GRILL			
code	height	width	depth
WRB/SG.Z40	40	40	80
WRB/SG.77	40	77	80
WRB/SG.114	40	114	80

BENCH WITH PULL OUT SEAT			
code	height	width	depth
WRB/PO.Z40	40	40	80
WRB/PO.77	40	77	80
WRB/PO.114	40	114	80

dimensions in cm (approximate)

